

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/620,872	07/16/2003	Noboru Asauchi	405507/0013	9098	
75	90 11/29/2004		EXAMINER		
Lawrence Rosenthal			MRUK, GEOFFREY S		
Stroock & Stroo	ock & Lavan LLP				
180 Maiden Lane			ART UNIT	PAPER NUMBER	
New York, NY 10038			2853		
			DATE MAIL ED. 11/20/200	DATE MAILED: 11/20/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/620,872	ASAUCHI ET AL.				
Office Action Summary	Examiner	Art Unit				
	Geoffrey Mruk	2853				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply of the period for reply is specified above, the maximum statutory period we Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	nely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on						
2a) ☐ This action is FINAL . 2b) ☑ This	action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
 4) Claim(s) 1-19 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) 8-10 is/are allowed. 6) Claim(s) 1-7, 12-19 is/are rejected. 7) Claim(s) 11 is/are objected to. 8) Claim(s) are subject to restriction and/or 	vn from consideration.					
Application Papers	•					
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>16 July 2003</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correcting 11) The oath or declaration is objected to by the Example 11.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ■ All b) ■ Some * c) ■ None of: 1. ■ Certified copies of the priority documents have been received. 2. ■ Certified copies of the priority documents have been received in Application No. ■ 3. ■ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s) 1) Notice of References Cited (PTO-892)	ο <u>Γ</u>	VDTO 440)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)						
Paper No(s)/Mail Date <u>7/16/03,1/8/04</u> .	6)					

Art Unit: 2853

DETAILED ACTION

Information Disclosure Statement

1. The IDS submitted January 8, 2004 has been considered by the examiner.

Drawings

2. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4) because reference character "133" has been used to designate both printing paper T (Fig. 4) and an antenna (Fig. 6A).

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

3. The abstract of the disclosure is objected to because it contains more than 150 words. Correction is required. See MPEP § 608.01(b).

Art Unit: 2853

Claim Objections

Claims 11, 13, and 17 objected to because of the following informalities:

- Claim 11: "the number of vibrations received by said condition reception
 module is specified by a position of a starting vibration, on which the
 measurement starts, and a position of a terminating vibration, on which
 the measurement ends", and "detection module determines the vibrationrelated data, based on the position of the starting vibration and the
 position of the terminating vibration". The Claim is unclear to what is
 being measured: vibration position or vibration versus time.
- Claim13: The language "a radio communication module that transmits
 data to and from an outside by radio communication" is unclear, as the
 term "outside" has not been adequately defined. It is recommended that
 the language be changed to "outside of said cartridge".
- Claim 17: The language "notifies the non-correspondency" is nonidiomatic English and is unclear.

Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent

Art Unit: 2853

granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1-7 and 12-19 are rejected under 35 U.S.C. 102(e) as being anticipated by Mochizuki et al. (US 6,685,296). The examiner wishes to point out the direction of communication (Figure 10, element 30) is drawn backwards from what is written in the specification.

With respect to Claim 1, Mochizuki discloses:

- A cartridge (Fig. 12, element 511a) having a chamber that holds a
 recording material (Fig. 12, element 513) that is used for printing
 therein. The cartridge is mounted on a printing apparatus (Fig. 40,
 element 600).
- A sensor (Fig. 10, element 25) that detects a state of the recording material held in the chamber;
- A condition reception module (Fig. 10, element 29) that receives an externally specified detection condition (Fig. 10, element 30) of said sensor.
- A detection module (Fig. 10, element 26) that carries out the detection under the specified detection condition;
- An output module (Fig. 10, element 28) that outputs a result of the detection (Column 18, lines 5-44).

Art Unit: 2853

With respect to Claim 2, Mochizuki discloses: a cartridge in accordance with Claim 1, where the output module outputs data corresponding to the specified detection condition, together with the result of the detection (Column 18, lines 25-44; Column 19, lines 1-18).

With respect to Claim 3, the recording material is an ink of a predetermined color (Column 39, lines 38-54).

With respect to Claim 5, Mochizuki discloses a cartridge in accordance with Claim 1, wherein said sensor detects presence or absence of the recording material in the chamber (Column18, line 61).

With respect to Claim 6, Mochizuki discloses a cartridge in accordance with Claim 1, wherein said sensor measures at least one of a temperature a viscosity, a humidity, a particle size, a hue a remaining quantity, and a pressure of the recording material (Column 18, lines 59-66).

With respect to Claim 7, Mochizuki discloses a cartridge in accordance with Claim 1, wherein said output module (Fig. 10, element 28) outputs the result of the detection by electric wave or the like (Fig. 10, element 30, Column 19, lines 8-18). Electric waves are commonly known as radio waves as stated by Amini in US 2003/0117142 A1 (paragraph 7).

With respect to Claim 12, Mochizuki discloses a cartridge in accordance with claim 1, said cartridge further comprising a memory (Fig. 10, element 27) that stores a parameter corresponding to the state of the recording material held in the chamber (Column 18, lines 59-67).

Art Unit: 2853

With respect to Claim 13, Mochizuki discloses a cartridge in accordance with claim 1, said cartridge further comprising:

- A radio communication module (Fig. 10, elements 28 and 29) that transmits data to and from an outside by radio communication (Fig. 10, element 30, Column 19, lines 8-18).
- The cartridge receives the externally specified detection condition from the outside via said radio communication module.

With respect to Claim 15, Mochizuki discloses a printing apparatus (Fig. 40, element 600) with a cartridge (Fig. 12, element 511a) mounted thereon, said cartridge having a chamber that holds a recording material (Fig. 12, element 513) that is used for printing. The cartridge comprises:

- A sensor (Fig. 10, element 25) that detects a state of the recording material held in the chamber.
- A condition reception module (Fig. 10, element 29) that receives an externally specified detection condition (Fig. 10, element 30) of said sensor.
- A detection module (Fig. 10, element 26) that carries out the detection under the specified detection condition.
- An output module (Fig. 10, element 28) that outputs a result of the detection.

The printing apparatus further comprising:

Art Unit: 2853

A condition specification module (Fig. 10, Outside A or B) that specifies
the detection conditions to determine if the acquired information on the
inside of the tank meets the set conditions (Column 18, lines 65-67).

- An input module (Fig. 10, Output A, B, C) that receives the result of the detection output from said output module of said cartridge.
- A verification module (Fig. 10, element 26) that verifies (Fig 11, step S24) the result of the detection (Column 18, lines 5-66; Column 19, lines 1-18).

With respect to Claim 16, Mochizuki discloses a printing apparatus in accordance with Claim 15,

- The output module (Fig. 10, element 28) of the cartridge outputs data corresponding to the specified detection condition (Fig. 10, element 30), together with the result of the detection (Column 18, lines 59-67; Column 19, lines 1-18).
- The input module (Fig. 10, Outside A, B, C) of said printing apparatus
 receives the output data, together with the result of the detection
 output from said output module (Fig. 10, element 28) of said cartridge.
- The verification module (Fig. 10, element 26) of the printing apparatus compares (Fig. 11, step S24) the input data with the detection condition specified by said condition specification module, verifies validity of the detection result in the case of correspondency (Fig. 11, step S26) of the input data to the specified detection condition, and

Art Unit: 2853

carries out a preset series of processing (Column 18, lines 25-44; Column 19, lines) to determine if it is necessary to replace the ink tank (Column 22, lines 59-67; Column 23, lines 1-3).

With respect to Claim 17, Mochizuki discloses a printing apparatus in accordance with Claim 16, the verification module (Fig. 10, element 26) comprises means that, in the case of no correspondency of the input data to the detection condition specified by said condition specification module, notifies the non-correspondency (Fig. 11, step S25; Column 19, lines 1-6).

With respect to Claim 18, Mochizuki discloses a method of transmitting information (Fig 10, element 30) to and from a cartridge (Fig. 12, element 511a), which has a chamber (Fig. 12, element 512) that holds a recording material (Fig. 12, element 513) used for printing. The information transmission method comprising the steps of:

- Externally specifying a detection condition (Fig. 10, element 30) of a sensor (Fig. 10, element 25), which is mounted on said cartridge and is used to detect a state of the recording material held in the chamber, from an outside of said cartridge.
- Making a result of detection, which is carried out in said cartridge by said sensor under the specified detection condition, output (Fig. 10, element 28) from said cartridge to the outside that has given the external specification (Column 18, lines 5-67; Column 19, lines 1-31).

With respect to Claim 19, Mochizuki discloses a method of transmitting information (Fig 10, element 30) to and from a cartridge (Fig. 12, element 511a), which

Art Unit: 2853

has a chamber (Fig. 12, element 512) to hold a recording material (Fig. 12, element 513) used for printing therein, said information transmission method comprising the steps of:

- Externally specifying a detection condition (Fig. 10, element 30) of a sensor (Fig. 10, element 25), which is mounted on said cartridge and is used to detect a state of the recording material held in the chamber, from an outside (Fig. 10, element Outside A or B) of said cartridge.
- Making data corresponding to the specified detection condition (Fig. 10, element 30), together with a result of detection carried out in said cartridge by said sensor (Fig. 10, element 25) under the specified detection condition.
- Output (Fig 10, element 30) from said cartridge to the outside of said cartridge.
- Verifying a correspondency (Fig. 11, steps S24-S26) of the output data to the specified detection condition, so as determine validity of the detection result (Column 18, lines 5-67; Column 19, lines 1-31).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2853

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Mochizuki et al. US 6,685,296 in view of Chida et al. (US 6,016,519).

Mochizuki discloses the claimed invention with the exception of the recording material within the cartridge being ink instead of toner. Chida teaches that it is well known in the ink jet art to use the same type of level detection to measure the level of both toner and a liquid ink (Column 8, lines 2-4). Because these two recording materials were art-recognized equivalents at the time the invention was made, one of ordinary skill in the art would have found it obvious to use the fluid level detection of Mochizuki for the purpose of measuring the level of toner in any type of printing apparatus that uses toner.

Art Unit: 2853

6. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Mochizuki et al. (US 6,685,296) in view of Walker (US 2003/0128245 A1) and Marthinsson et al. (US 5,673,053).

Mochizuki teaches the claimed invention with the exception of specifying the loop antenna on the radio communication module, used for radio communication between the cartridge and the control device (Column 19, lines 8-15).

Walker discloses a cartridge (Fig. 2, element 24) that contains an antenna portion (Fig. 3, element 40) used to transmit radio communication between the cartridge and the controller (Column 7, lines 13-32).

Marthinsson discloses the specific reasons for using a loop antenna. The reasons being the loop antenna may be given an exceptionally small size, an easily adapted design (Column 2, lines 14-15), and that it may be easily arranged on a printed circuit board together with the impedance matching unit (Column 3, lines 10-12).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to provide Mochizuki with a loop antenna. The motivation for doing so would have been the loop antenna may be given an exceptionally small size, an easily adapted design, and that it may be easily arranged on a printed circuit board in order to allow radio communication between the cartridge and the control device, as taught by Walker and Marthinsson.

Art Unit: 2853

Allowable Subject Matter

Claims 8-11 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter:

The prior art of record fails to teach a fluid level detection for a cartridge, wherein a detection module applies an excitation pulse to a piezoelectric element and measures the vibration of the piezoelectric element in response to the excitation pulse.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Geoffrey Mruk whose telephone number is (571) 272-2810. The examiner can normally be reached on 7am - 330pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2853

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

GSM

11/19/2004

MuhelsiShe, Primary Examine